

ELECTRONIC TUBE REFERENCE

6321

Voltage - Dual Triode (similar) electronic tube

CONSOLIDATED TECHNICAL DATA

2 SECTIONS

CONSTRUCTION

TRIODE-TRIODE

Dual-triode vacuum tube documented by National Union; available documentation establishes its basic construction but does not provide enough specific application evidence to justify a narrower functional description.

GENERAL CHARACTERISTICS

BASE DESIGNATION	—	BASE PINS	—
NOMINAL HEATER	6.3 V / 85 mA	PARALLEL HEATER	— / —
HEATING	Indirect	SERIES OPERATION	Not specified
CATHODE ARRANGEMENT	Separate cathodes	SECTION CONSTRUCTION	Similar

SECTION RATINGS

SECTION1 Triode	
AMPLIFICATION FACTOR	16
MAXIMUM PLATE VOLTAGE	150 V
MAXIMUM PLATE DISSIPATION	0.6 W
MAXIMUM CATHODE CURRENT	7 mA
Promoted ratings/characteristics read from the approved National Union datasheet.	

SECTION2 Triode	
AMPLIFICATION FACTOR	16
MAXIMUM PLATE VOLTAGE	150 V
MAXIMUM PLATE DISSIPATION	0.6 W
MAXIMUM CATHODE CURRENT	7 mA
Second identical physical triode section; added to align rows with SectionCount.	

National Union 6321 dualtriode vacuum tube described in the approved datasheet for its stated amplifier, rectifier, indicator, or specialized electronic service.

TUBE TINKER

An independent reference for electronic tubes, vacuum tubes,
and their source documents.

[Catalog](#) [Tube types](#) [Full books](#) [Blog](#) [Feedback & corrections](#)

© 2026 Tube Tinker