

ELECTRONIC TUBE REFERENCE

DG732

Specialized - Cathode Ray electronic tube

CONSOLIDATED TECHNICAL DATA

1 SECTION
CONSTRUCTION
CATHODERAY

Philips/Mullard DG-series cathode-ray instrument tube for oscillographic and measurement display, with manufacturer-defined electrostatic beam focusing, deflection, screen, and accelerating characteristics for type DG732.

GENERAL CHARACTERISTICS

BASE DESIGNATION	—	BASE PINS	—
NOMINAL HEATER	6.3 V / 300 mA	PARALLEL HEATER	— / —
HEATING	Indirect	SERIES OPERATION	Not specified
CATHODE ARRANGEMENT	Separate cathodes	SECTION CONSTRUCTION	Similar

SECTION RATINGS

SECTION1 Cathode Ray
No fixed ratings recorded. CRT-specific optical, focusing, deflection, accelerating-voltage, scan, and capacitance data are retained in TUBE_SECTION_PARAMETER because the locked promoted fields primarily target conventional electrode sections.

The Philips DG732 is a low-voltage oscilloscope crt with green, medium persistence.



SOURCE OPERATING CONDITIONS

[SOURCE PDF](#)

1957 Philips Receiving and Amplifying Tubes

Published test conditions and operating points. Values on this page are preserved as reported by this source.

1957 PHILIPS RECEIVING AND AMPLIFYING TUBES

Section 1 · Cathode Ray

CHARACTERISTICS		
PARAMETER	PUBLISHED VALUE	CONDITION / NOTE
Heater Voltage	6.3 V	—
Heater Current	300 mA	—
Phosphor Variant	green, medium persistence text	Screen fluorescence and persistence
Deflection System	Electrostatic text	Low-voltage oscilloscope CRT



SOURCE OPERATING CONDITIONS

[SOURCE PDF](#)

1963 Philips Electron Tubes Handbook V2

Published test conditions and operating points. Values on this page are preserved as reported by this source.

1963 PHILIPS ELECTRON TUBES HANDBOOK V2

Section 1 · Cathode Ray

CONSTRUCTION		
PARAMETER	PUBLISHED VALUE	CONDITION / NOTE
Focusing	Electrostatic	OscilloscopeCRT
Deflection	Double electrostatic	OscilloscopeCRT
Screen fluorescence	Green	OscilloscopeCRT
Screen persistence	Medium	OscilloscopeCRT

OTHER		
PARAMETER	PUBLISHED VALUE	CONDITION / NOTE
Heater voltage	6.3 V	OscilloscopeCRT
Heater current	300 mA	OscilloscopeCRT
Accelerator voltage	500 V	OscilloscopeCRT
Electrical reference	DG7-32/01	SameFamilyCharacteristics

CHARACTERISTIC		
PARAMETER	PUBLISHED VALUE	CONDITION / NOTE
Y-axis sensitivity minimum	0.35 mm/V	OscilloscopeCRT
Y-axis sensitivity maximum	0.43 mm/V	OscilloscopeCRT
X-axis sensitivity minimum	0.24 mm/V	OscilloscopeCRT
X-axis sensitivity maximum	0.3 mm/V	OscilloscopeCRT



SOURCE DATA APPENDIX

SOURCE OPERATING CONDITIONS

[SOURCE PDF](#)

1999 Philips 0-D

Published test conditions and operating points. Values on this page are preserved as reported by this source.

1999 PHILIPS 0-D

Section 1 · Cathode Ray

CHARACTERISTICS		
PARAMETER	PUBLISHED VALUE	CONDITION / NOTE
Screen fluorescence	Green	Published datasheet value
Persistence	Medium	Published datasheet value
Deflection sensitivity first pair	0.35-0.43 mm/V	Published datasheet value
Deflection sensitivity second pair	0.22-0.28 mm/V	Published datasheet value
Grid No.1 capacitance	7.6 pF	Published datasheet value
Cathode capacitance	3.2 pF	Published datasheet value

OTHER		
PARAMETER	PUBLISHED VALUE	CONDITION / NOTE
Grid No.2 and No.4 voltage	500 V	Published datasheet value
Grid No.3 voltage	0–120 V	Published datasheet value
Negative grid No.1 cut-off voltage	50–100 V	Published datasheet value
Maximum grid No.2 and No.4 voltage	—800 V	Published datasheet value
Minimum grid No.2 and No.4 voltage	400— V	Published datasheet value
Maximum grid No.3 voltage	—200 V	Published datasheet value
Maximum negative grid No.1 voltage	—160 V	Published datasheet value
Maximum cathode-heater voltage	—125 V	Published datasheet value
Grid No.2 and No.4 dissipation maximum	—0.5 W	Published datasheet value
Deflection plate circuit resistance maximum	—5 MΩ	Published datasheet value
Grid No.1 circuit resistance maximum	—0.5 MΩ	Published datasheet value

TUBE TINKER

An independent reference for electronic tubes, vacuum tubes, and their source documents.

[Catalog](#) [Tube types](#) [Full books](#) [Blog](#) [Feedback & corrections](#)

© 2026 Tube Tinker