

ELECTRONIC TUBE REFERENCE

MH40

Voltage - Triode (single) electronic tube

CONSOLIDATED TECHNICAL DATA

1 SECTION

CONSTRUCTION

TRIODE

Low-noise, low-microphony OSRAM triode for early stages of high-gain amplifiers.

GENERAL CHARACTERISTICS

|                     |                   |                      |               |
|---------------------|-------------------|----------------------|---------------|
| BASE DESIGNATION    | —                 | BASE PINS            | 5             |
| NOMINAL HEATER      | 4 V / 1 A         | PARALLEL HEATER      | — / —         |
| HEATING             | Direct            | SERIES OPERATION     | Not specified |
| CATHODE ARRANGEMENT | Separate cathodes | SECTION CONSTRUCTION | Similar       |

SECTION RATINGS

|                                                                                                                                          |          |
|------------------------------------------------------------------------------------------------------------------------------------------|----------|
| SECTION1 Triode                                                                                                                          |          |
| PLATE RESISTANCE                                                                                                                         | 8000 Ω   |
| TRANSCONDUCTANCE                                                                                                                         | 0.0024 S |
| AMPLIFICATION FACTOR                                                                                                                     | 45       |
| MAXIMUM PLATE VOLTAGE                                                                                                                    | 200 V    |
| Promoted values mapped from printed rating/approximate-data tables; additional operating points and capacitances retained as parameters. |          |

OSRAM MH40 triode for amplification, detection, or power-output service as specified in the supplied datasheet.



## SOURCE OPERATING CONDITIONS

[SOURCE PDF](#)

# 193X Osram

Published test conditions and operating points. Values on this page are preserved as reported by this source.

193X OSRAM

## Section 1 · Triode

| OTHER                   |                 |                           |
|-------------------------|-----------------|---------------------------|
| PARAMETER               | PUBLISHED VALUE | CONDITION / NOTE          |
| Heater/Filament Voltage | 4 V             | Published datasheet value |
| Heater/Filament Current | 1 A             | Published datasheet value |
| Maximum Anode Voltage   | 200 V           | Published datasheet value |

| CHARACTERISTICS      |                 |                           |
|----------------------|-----------------|---------------------------|
| PARAMETER            | PUBLISHED VALUE | CONDITION / NOTE          |
| Plate Resistance     | 18750 ohm       | Published datasheet value |
| Mutual Conductance   | 2400 $\mu$ S    | Published datasheet value |
| Amplification Factor | 45              | Published datasheet value |



## SOURCE OPERATING CONDITIONS

[SOURCE PDF](#)

# 1955 Marconi

Published test conditions and operating points. Values on this page are preserved as reported by this source.

1955 MARCONI

## Section 1 · Triode

| OTHER                     |                 |                  |
|---------------------------|-----------------|------------------|
| PARAMETER                 | PUBLISHED VALUE | CONDITION / NOTE |
| Plate Resistance          | 8000 ohm        | —                |
| Amplification Factor      | 45              | —                |
| Grid-Anode Capacitance    | 7.3 pF          | —                |
| Anode-Cathode Capacitance | 4 pF            | —                |

| PARAMETER                | PUBLISHED VALUE | CONDITION / NOTE |
|--------------------------|-----------------|------------------|
| Grid-Cathode Capacitance | 6 pF            | —                |
| Low Noise Design         | 1 boolean       | —                |
| Low Microphony Design    | 1 boolean       | —                |

# TUBE TINKER

An independent reference for electronic tubes, vacuum tubes, and their source documents.

[Catalog](#)   [Tube types](#)   [Full books](#)   [Blog](#)   [Feedback & corrections](#)

© 2026 Tube Tinker